Form Approved	OMB NO.	0704-0188
---------------	---------	-----------

The public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA, 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any oenalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

PLEASE DO NO	OT RETURN YOUF	R FORM TO THE A	BOVE ADDRESS.				
1. REPORT I	DATE (DD-MM-	YYYY)	2. REPORT TYPE		3. DATES COVERED (From - To)		
25-11-2018	3		Final Report		7-Apr-2016 - 6-Apr-2017		
4. TITLE AND SUBTITLE				5a. CO	5a. CONTRACT NUMBER		
Final Report: Custom Designed Thermal Evaporator for		W9111	W911NF-16-1-0141				
Transformative Research and Education in Novel Thermal Management and Energy Conversion Devices Based on Nanomaterials			5b. GR	5b. GRANT NUMBER			
					5c. PROGRAM ELEMENT NUMBER		
					611103		
6. AUTHORS				5d. PRO	5d. PROJECT NUMBER		
			5e. TASK NUMBER				
				5f. WORK UNIT NUMBER			
	ch Research Corp		S AND ADDRESSES		8. PERFORMING ORGANIZATION REPORT NUMBER		
Atlanta, GA		30332	2 -0420				
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS (ES)			SS	10. SPONSOR/MONITOR'S ACRONYM(S) ARO			
U.S. Army Research Office P.O. Box 12211				11. SPONSOR/MONITOR'S REPORT NUMBER(S)			
Research Triangle Park, NC 27709-2211				68482-EL-RIP.1			
12. DISTRIB	UTION AVAIL	BILITY STATE	MENT	•			
Approved for	public release; d	istribution is unli	mited.				
The views, o		ndings contained	in this report are those of the so designated by other doc		d should not contrued as an official Department		
14. ABSTRA	CT						
15. SUBJEC	CT TERMS						
1.0000		17. LIMITATION OF	<b>I</b>	ER 19a. NAME OF RESPONSIBLE PERSON			
	b. ABSTRACT   c. THIS PAGE   UU   UU		ABSTRACT	OF PAGES	Baratunde Cola  19b. TELEPHONE NUMBER		
UU		UU	UU		404-385-8652		

## RPPR Final Report

as of 26-Nov-2018

Agency Code:

Proposal Number: 68482ELRIP Agreement Number: W911NF-16-1-0141

**INVESTIGATOR(S):** 

Name: Baratunde A. Cola Email: cola@gatech.edu Phone Number: 4043858652

Principal: Y

Organization: **Georgia Tech Research Corporation**Address: 505 Tenth Street NW, Atlanta, GA 303320420

Country: USA

DUNS Number: 097394084 EIN: 580603146

Report Date: 06-Jul-2017 Date Received: 25-Nov-2018

**Final Report** for Period Beginning 07-Apr-2016 and Ending 06-Apr-2017

Title: Custom Designed Thermal Evaporator for Transformative Research and Education in Novel Thermal

Management and Energy Conversion Devices Based on Nanomaterials

Begin Performance Period: 07-Apr-2016 End Performance Period: 06-Apr-2017

Report Term: 0-Other

Submitted By: Baratunde Cola Email: cola@gatech.edu Phone: (404) 385-8652

**Distribution Statement:** 1-Approved for public release; distribution is unlimited.

## STEM Degrees: STEM Participants:

Major Goals: This DURIP acquisition has been placed in the Nanomaterials Floor of the Marcus Nanotechnology Building at Georgia Tech, where 3 faculty, over 30 graduate students, and more than 5 post docs, research engineers, and visiting scholars are co-located for dedicated and collaborative research spanning 4 departments: Mechanical Engineering, Materials Science and Engineering, Electrical and Computer Engineering, and Chemical and Biomolecular Engineering. The tool is available to all of these researchers, and to the more than 300 users of the facilities of the Marcus Nanotechnology Building for research and educational activities. The Marcus Nanotechnology Building is a part of the Georgia Tech Institute for Electronics and Nanotechnology (IEN). This DURIP has helped to advance carbon nanotube rectenna development, fundamental understanding of thermal and electrical transport in conjugated polymers, and launch a new area of thermoplasmonic energy conversion in nanowires.

The acquisition of our resistive thermal evaporator has been central for the research described above. A key factor in our ability to accomplish the research goals is an ability to produce reliable, controlled devices at a steady rate for the scientific studies. The acquisition of the deposition tool proposed here allows this, overcoming current rate limiting challenges at Georgia Tech. Our tool is the only at Georgia Tech that allows deposition of low work function metal for our devices without a very low yield and/or the ability to test and preserve the samples in an inert atmosphere.

Accomplishments: We purchased an Angstrom Engineering NexDep Deposition System with Integrated Glove Box that we custom designed to deliver on the goals of this DURIP. Resistive evaporation is a commonly used vacuum deposition process in which electrical energy is used to heat a filament which in turn heats a deposition material to the point of evaporation. The process can be performed at very high levels of vacuum allowing for a long mean free path and therefore fewer tendencies to introduce film impurities. High deposition rates can be achieved and lower energy particles can reduce substrate damage. Angstrom Engineering developed a thin film deposition systems based on this technique that can deposit a wide range of materials including metals, organic, and inorganic polymers. The process is controlled using quartz rate sensor, temperature, or optical monitoring systems to ensure consistent high-quality results.

We integrated a controlled atmosphere glove box to overcome our current physical vapor deposition (PVD) process challenges. This total system integration allows non-PVD and PVD processes to be connected within a controlled environment. The integrated system allows sensitive materials and substrates to be stored, then moved from process to process and tested without exposure to the open environment. This equipment is integrated with a substrate temperature controller for improved grain boundary migration, post process annealing and controlling surface reactions.

## **RPPR Final Report**

as of 26-Nov-2018

Important features of our NexDep system include:

- Support for multiple PVD processes
- · Recipe based advanced multi-layer deposition control with user logon control
- Sequential or co-deposition
- Sensors are rigidly mounted to ensure calibration is maintained
- In co-deposition configurations QCM sensors are carefully isolated to ensure there is no interference from adjacent source material
- Stainless steel isolation shields help to protect sources from cross contamination
- Substrate heating and cooling
- Planetary motion
- Custom chamber height of 48 inches, which is required to minimize the interfacial degradation

After the tool was installed, several projects advanced as a result of these new capabilities and we were able to make new rectenna devices with record efficiencies of more than 10X higher than previous efforts.

**Training Opportunities:** Several Ph.D. students were able to use our new evaporator to advance their work. One Ph.D. student, Erik Anderson, has become an expert with the tool and gain skills in helping others with their projects.

**Funding Support:** 

Results Dissemination: Nothing to Report

Honors and Awards: Nothing to Report

**Protocol Activity Status:** 

**Technology Transfer:** Nothing to Report

**PARTICIPANTS:** 

Participant Type: Graduate Student (research assistant)

Participant: Erik Anderson Person Months Worked: 3.00 Project Contribution:

International Collaboration:
International Travel:

National Academy Member: N

Other Collaborators:

